



Submittals WQWebSubmittal

[WQWebSubmittal Home](#)
[WQWebPortal Home](#)
[Help](#)
[FAQs](#)

Annual Report

Question Number	Permit Section	Questions
1	S5.A.2	<p>Attach updated annual Stormwater Management Program Plan (SWMP Plan). (S5.A.2)</p> <p>Saved Document Name: Attachment 1 Stormwater Manage_1_03172016110526</p>
2	S9.D.5	<p>Attach a copy of any annexations, incorporations or boundary changes resulting in an increase or decrease in the Permittee's geographic area of permit coverage during the reporting period per S9.D.5.</p> <p>Not Applicable</p>
3	S5.A.3	<p>Implemented an ongoing program to gather, track, and maintain information per S5.A.3, including costs or estimated costs of implementing the SWMP.</p> <p>Yes</p>
4	S5.A.5.b	<p>Coordinated among departments within the jurisdiction to eliminate barriers to permit compliance. (S5.A.5.b)</p> <p>Yes</p>
5	S5.C.1.a.i and ii	<p>Attach description of public education and outreach efforts conducted per S5.C.1.a.i and ii.</p> <p>Saved Document Name: Attachment 2 Description of 20_5_03172016110701</p>
6	S5.C.1.b	<p>Created stewardship opportunities (or partnered with others) to encourage resident participation in activities such as those described in S5.C.1.b.</p> <p>Yes</p>
7	S5.C.1.b	<p>Used results of measuring the understanding and adoption of targeted behaviors among at least one audience in at least one subject area to direct education and outreach resources and evaluate changes in adoption of targeted behaviors. (Required no later than February 2, 2016, S5.C.1.b)</p> <p>Not Applicable</p>
7b	S5.C.1.b	<p>Attach description of how this requirement was met.</p>
8	S5.C.2.a	<p>Describe the opportunities created for the public to participate in the decision making processes involving the development, implementation and updates of the Permittee's SWMP. (S5.C.2.a)</p> <p>Opportunities for public participation and comment involving the Stormwater Management Program (SWMP) are encouraged on the City website.</p>
9	S5.C.2.b	<p>Posted the updated SWMP Plan and latest annual report on your website no later than May 31. (S5.C.2.b)</p> <p>Yes</p>
9b	S5.C.2.b	<p>List the website address.</p> <p>http://www.ci.bonney-lake.wa.us/section_government/departments/public_works/stormwater.shtml</p>
10		

	S5.C.3.a.i - vi	Maintained a map of the MS4 including the requirements listed in S5.C.3.a.i.-vi. Yes
11	S5.C.3.b.v	Implemented a compliance strategy, including informal compliance actions as well as enforcement provisions of the regulatory mechanism described in S5.C.3.b. (S5.C.3.b.v) Yes
12	S5.C.3.b.vi	Updated, if necessary, the regulatory mechanism to effectively prohibit illicit discharges into the MS4 per S5.C.3.b.vi. (Required no later than February 2, 2018) Not Applicable
12b		Cite the Prohibited Discharges code reference
13	S5.C.3.c.i	Implemented procedures for conducting illicit discharge investigations in accordance with S5.C.3.c.i. Yes
13b	S5.C.3.c.i	Cite methodology The City utilizes the Bonney Lake Illicit Discharge Detection & Elimination Program standard operating procedures and flow chart as well as Illicit Discharge Detection & Elimination: A Guidance Manual for Program Development and Technical Assessments, Center for Watershed Protection guidance document.
14	S5.C.3.c.i	Percentage of MS4 coverage area screened in reporting year per S5.C.3.c.i. (Required to screen 40% of MS4 no later than December 31, 2017 (except no later than June 30, 2018 for the City of Aberdeen) and 12% on average each year thereafter. (S5.C.3) 0
15	S5.C.3.c.ii	List the hotline telephone number for public reporting of spills and other illicit discharges. (S5.C.3.c.ii) (253) 447-4320 or after hours and weekends (253) 841-5538
15b	S5.C.3.c.ii	Number of hotline calls received. 4
16	S5.C.3.c.iii	Implemented an ongoing illicit discharge training program for all municipal field staff per S5.C.3.c.iii. Yes
17	S5.C.3.c.iv	Informed public employees, businesses, and the general public of hazards associated with illicit discharges and improper disposal of waste. (S5.C.3.c.iv) Yes
17b	S5.C.3.c.iv	Describe the information sharing actions. (S5.C.3.c.iv) Bonney Lake utilizes its Public Education and Outreach Program to inform staff, residents, and businesses about hazards associated with illicit discharges. Examples of outreach methods used include: newsletters, staff training, council meetings, business inspections, mailings, and Bonney Lake Days events.
18	S5.C.3.d	Implemented an ongoing program to characterize, trace, and eliminate illicit discharges into the MS4 per S5.C.3.d. Yes
19	S5.C.3.d.iv	Number of illicit discharges, including illicit connections, eliminated during the reporting year. (S5.C.3.d.iv) 1
20		Attach a summary of actions taken to characterize, trace and eliminate each illicit discharge found by or reported to the permittee. For each illicit discharge, include a description of actions according to

	S5.C.3.d.iv	required timeline per S5.C.3.d.iv
Saved Document Name: Attachment 3 IDDE Summary of A_20_03172016114614		
21	S5.C.3.e	Municipal illicit discharge detection staff are trained to conduct illicit discharge detection and elimination activities as described in S5.C.3.e. Yes
22	S5.C.4.a	Implemented an ordinance or other enforceable mechanism to address runoff from new development, redevelopment and construction sites per the requirements of S5.C.4.a. Yes
24	S5.C.4.a.i	Number of exceptions granted to the minimum requirements in Appendix 1. (S5.C.4.a.i., and Section 6 of Appendix 1) 0
25	S5.C.4.a.i	Number of variances granted to the minimum requirements in Appendix 1. (S5.C.4.a.i., and Section 6 of Appendix 1) 0
26	S5.C.4.b.i	Reviewed Stormwater Site Plans for all proposed development activities that meet the thresholds adopted pursuant to S5.C.4.a.i. (S5.C.4.b.i) Yes
26b	S5.C.4.b.i	Number of site plans reviewed during the reporting period. 11
27	S5.C.4.b.ii	Inspected, prior to clearing and construction, permitted development sites that have a high potential for sediment transport as determined through plan review based on definitions and requirements in Appendix 7 Determining Construction Site Sediment Damage Potential, or alternatively, inspected all construction sites meeting the minimum thresholds adopted pursuant to S5.C.4.a.i. (S5.C.4.b.ii) Yes
27b	S5.C.4.b.ii	Number of construction sites inspected per S5.C.4.b.ii. 11
28	S5.C.4.b.iii	Inspected permitted development sites during construction to verify proper installation and maintenance of required erosion and sediment controls. (S5.C.4.b.iii) Yes
28b	S5.C.4.b.iii	Number of construction sites inspected per S5.C.4.b.iii. 11
29	S5.C.4.b.ii, iii and	Number of enforcement actions taken during the reporting period (based on construction phase inspections at new development and redevelopment projects). (S5.C.4.b.ii, iii and v) 1
30	S5.C.4.b.iv	Inspected all permitted development sites that meet the thresholds in S5.C.4.a.i upon completion of construction and prior to final approval or occupancy to ensure proper installation of permanent stormwater facilities. (S5.C.4.b.iv) Yes
31	S5.C.4.b.ii-iv	Achieved at least 80% of scheduled construction-related inspections. (S5.C.4.b.ii-iv) Yes
32	S5.C.4.b.iv	Verified a maintenance plan is completed and responsibility for maintenance is assigned for projects. (S5.C.4.b.iv)

		Yes
33	S5.C.4.c	Implemented provisions to verify adequate long-term operation and maintenance (O&M) of stormwater treatment and flow control BMPs/facilities that are permitted and constructed pursuant to S5.C.4. a and b. (S5.C.4.c)
		Yes
35	S5.C.4.c.iii	Annually inspected stormwater treatment and flow control BMPs/facilities per S5.C.4.c.iii.
		Yes
35b	S5.C.4.c.iii	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.4.c.iii
		Not Applicable
36	S5.C.4.c.iv	Inspected new residential stormwater treatment and flow control BMPs/facilities and catch basins every 6 months per S5.C.4.c.iv to identify maintenance needs and enforce compliance with maintenance standards.
		Yes
37	S5.C.4.c.v	Achieved at least 80% of scheduled inspections to verify adequate long-term O&M. (S5.C.4.c.v)
		Yes
38	S4.C.4.c.vi	Verified that maintenance was performed per the schedule in S5.C.4.c.vi when an inspection identified an exceedance of the maintenance standard.
		Yes
38b	S5.C.4.c.vi	Attach documentation of any maintenance delays. (S5.C.4.c.vi)
		Not Applicable
39	S5.C.4.d	Provided copies of the Notice of Intent for Construction Activity and Notice of Intent for Industrial Activity to representatives of proposed new development and redevelopment. (S5.C.4.d)
		Yes
40	S5.C.4.e	All staff responsible for implementing the program to control stormwater runoff from new development, redevelopment, and construction sites, including permitting, plan review, construction site inspections, and enforcement are trained to conduct these activities. (S5.C.4.e)
		Yes
42	S5.C.4.g	Participated and cooperated with the watershed-scale stormwater planning process led by a Phase I county. (S5.C.4.g)
		Not Applicable
43	S5.C.5.a	Implemented maintenance standards as protective, or more protective, of facility function as those specified in Chapter 4 of Volume V of the 2005 Stormwater Management Manual for Western Washington.
		Yes
44	S5.C.5.a	Applied a maintenance standard that is not specified in the Stormwater Management Manual for Western Washington.
		No
44b	S5.C.5.a	Please note what kinds of facilities are covered by this alternative maintenance standard. (S5.C.5.a)
45	S5.C.5.a.ii	Performed timely maintenance per S5.C.5.a.ii.
		Yes

46	S5.C.5.b	Annually inspected all municipally owned or operated permanent stormwater treatment and flow control BMPs/facilities. (S5.C.5.b)
		Yes
46b	S5.C.5.b	Number of known municipally owned or operated stormwater treatment and flow control BMPs/facilities. (S5.C.5.b)
		54
46c	S5.C.5.b	Number of facilities inspected during the reporting period. (S5.C.5.b)
		54
46d	S5.C.5.b	Number of facilities for which maintenance was performed during the reporting period. (S5.C.5.b)
		54
47	S5.C.5.b	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.5.b.
		Not Applicable
48	S5.C.5.c	Conducted spot checks and inspections (if necessary) of potentially damaged stormwater facilities after major storms as per S5.C.5.c.
		Yes
49	S5.C.5.d	Inspected all municipally owned or operated catch basins and inlets as per S5.C.5.d, or used an alternative approach. (Required once no later than August 1, 2017 and every two years thereafter, except once no later than June 30, 2018 and every two years thereafter for the City of Aberdeen)
		Not Applicable
49b	S5.C.5.d	Number of known catch basins.
		2294
49c	S5.C.5.d	Number of catch basins inspected during the reporting period.
		278
49d	S5.C.5.d	Number of catch basins cleaned during the reporting period.
		278
50	S5.C.5.d.i-ii	Attach documentation of alternative catch basin cleaning approach, if used. (S5.C.5.d.i or ii)
		Not Applicable
51	S5.C.5.f	Implemented practices, policies and procedures to reduce stormwater impacts associated with runoff from all lands owned or maintained by the Permittee, and road maintenance activities under the functional control of the Permittee. (S5.C.5.f)
		Yes
52	S5.C.5.g	Implemented an ongoing training program for Permittee employees whose primary construction, operations or maintenance job functions may impact stormwater quality. (S5.C.5.g.)
		Yes
53	S5.C.5.h	Implemented a Stormwater Pollution Prevention Plan for all heavy equipment maintenance or storage yards, and material storage facilities owned or operated by the Permittee in areas subject to this Permit that are not required to have coverage under an NPDES permit that covers stormwater discharges associated with the activity. (S5.C.5.h)
		Yes
54		Complied with the Total Maximum Daily Load (TMDL)-specific requirements identified in Appendix 2. (S7.A)

	S7.A	Not Applicable
55	S7.A	For TMDLs listed in Appendix 2: Attach a summary of relevant SWMP and Appendix 2 activities to address the applicable TMDL parameter(s). (S7.A) Not Applicable
56	S8.A	Attach a description of any stormwater monitoring or stormwater-related studies as described in S8.A. Not Applicable
57	S8.B.1	Participated in cost-sharing for the regional stormwater monitoring program (RSMP) for status and trends monitoring. (S8.B.1) Yes
57B	S8.B.2	If choosing to conduct individual status and trends monitoring, attach an annual stormwater monitoring report in accordance with S8.B.2. (Required to submit reports beginning March 31, 2016)
58	S8.C.1	Participated in cost-sharing for the regional stormwater monitoring program (RSMP) for effectiveness studies. (S8.C.1) (Required to begin no later than August 15, 2014) Yes
58b	S8.C.2	If choosing to conduct discharge monitoring, attach an annual stormwater monitoring report in accordance with S8.C.2 and Appendix 9. (Required to submit reports beginning March 31, 2016)
59	S8.D.1	Contributed to the RSMP for source identification and diagnostic monitoring information repository in accordance with S8.D.1. (Required to begin no later than August 15, 2014) Yes
60	G3	Notified Ecology in accordance with G3 of any discharge into or from the Permittees MS4 which could constitute a threat to human health, welfare or the environment. (G3) Not Applicable
61	G3	Number of G3 notifications provided to Ecology. 0
62	G3.A	Took appropriate action to correct or minimize the threat to human health, welfare, and/or the environment per G3.A. Yes
63	S4.F.1	Notified Ecology within 30 days of becoming aware that a discharge from the Permittee's MS4 caused or contributed to a known or likely violation of water quality standards in the receiving water. (S4.F.1) Not Applicable
64	S4.F.3.a	If requested, submitted an Adaptive Management Response report in accordance with S4.F.3.a. Not Applicable
65	S4.F.3.d	Attach a summary of the status of implementation of any actions taken pursuant to S4.F.3 and the status of any monitoring, assessment, or evaluation efforts conducted during the reporting period. (S4.F.3.d) Not Applicable
66	G20	Notified Ecology of the failure to comply with the permit terms and conditions within 30 days of becoming aware of the non-compliance. (G20) Not Applicable
67		

	G20	Number of non-compliance notifications (G20) provided in reporting year.
		0
67b	G20	List the permit conditions described in non-compliance notification(s).
		Not Applicable

Attachments:

View Files Attached to Submission

	DocDescr	DocName	DocExt	DocID	SubID	AppName
View	WAR045002_1_03172016110526	Attachment 1 Stormwater Manage_1_03172016110526	.pdf	438387	1527793	wqwebportal
View	WAR045002_5_03172016110701	Attachment 2 Description of 20_5_03172016110701	.pdf	438389	1527793	wqwebportal
View	WAR045002_20_03172016114614	Attachment 3 IDDE Summary of A_20_03172016114614	.pdf	438400	1527793	wqwebportal
View	Submitted Copy of Record for City of Bonney Lake	Copy of Record CityofBonneyLake Friday March 18 2016	.pdf	438600	1527793	wqwebportal
View	Submitted Cover Letter for City of Bonney Lake	Cover Letter CityofBonneyLake Friday March 18 2016	.pdf	438601	1527793	wqwebportal

[Close](#)

[Ecology Home](#) | [WQWebPortal Home](#) | [WQWebSubmittal Home](#) | [Help](#) | [Release Notes](#) | [Contact Us](#)

Submittals (WQWebSubmittal) Version 1.3.1 | [Data Disclaimer](#) | [Privacy Policy](#)
 Copyright © Washington State Department of Ecology. All Rights Reserved.