


NOTES:

1. PRODUCTS MANUFACTURED BY EAST JORDAN IRON WORKS INC., P.O. BOX 439, EAST JORDAN, MI. 49727, 1-800-874-4100. APPROPRIATE FRAME SHALL BE AS SPECIFIED BY EAST JORDAN IRON WORKS INC.
2. MATERIALS ARE GRAY IRON ASTM A48 CL35B.
3. PRODUCT NO. 0037076X, CATALOG NO. 3705CX.
4. LOAD RATING IS HEAVY DUTY, COVER WEIGHT IS APPROXIMATELY 141 LBS.
5. WATERTIGHT MANHOLE FRAME AND COVERS ARE REQUIRED AS DIRECTED BY THE CITY AND IN ALL LOCATIONS WHERE THE MANHOLE RIM IS SET BELOW FINISHED GRADE.
6. ALL MANHOLES LOCATED OUTSIDE PAVEMENT AREAS SHALL BE PROVIDED WITH LOCKING MANHOLE FRAME AND COVER. MANHOLES LOCATED IN PAVED AREAS REQUIRE NON-LOCKING MANHOLE FRAME AND COVER

1	Modified Pickhole	07/14/06
Rev No.	Revisions	Date
Approved:		June 17, 2005
City Engineer		Date
SANITARY SEWER STANDARD DETAIL		



Dwg No:

SS4

**MANHOLE FRAME
AND COVER**